

BWC WEBINAR



Body Worn Cameras Portfolio
Date: Tuesday 11th January 2022
Time: 10:00

BODY WORN CAMERAS



**Telo Systems T2
Radio Cam**



**Telo Systems T6
Body Cam**



**Telo Systems T8
LTE Cam**

Telo Systems T2 & T6

Body Worn Video and RSM operation.

T2 and T6 Docking stations available.



Telo T2

Weight	130g
Built-in storage	32GB
Dimensions (H x W x D)	85 x 58 x 29mm
IP Rating	IP66



Telo T6

Weight	168g
Built-in storage	32GB
Dimensions (H x W x D)	98 x 60 x 30mm
IP Rating	IP66
Pre-record	Yes

Telo Systems T8

- LTE Cam with multiple docking station options.
- LTE Cam compliant with BS8593 for evidential gathering and built on an Android platform for additional features and benefits..
- Pre loaded with the right GCaaS platform this device can become BS compliant Lone Worker Protection
- Triggering Emergencies in multiple ways to enhance user safety.



TELO SYSTEMS LTECAM T8

Night
Vision

BS 8593
BWC

BS8484
LWP

It's an LTE
Smart
device

Video
Streaming

Android
platform

Task
Manager

GPS

Guard
Tours

Geo Fence
Behaviours

Emergency
Calls

Full
Recording



Telo Systems T8



SOS Button

PTT Button

Camera Button

Record Slider

Service

Airsys.Cloud GCaaS Service:

- Cloud based SaaS paid for by subscription
- Hosted in UK ISO27000 approved data centres

Best-in-class business critical fully featured BBPTT solution:

- Geofencing
- Guard tours
- Comprehensive LMR bridging
- Call queuing
- Group and individual calls
- Messaging including status messages
- Emergency localization

Do you need extra from your subscription?

- LWP (certifiable to BS8484:2016), includes emergencies triggered by:
 - Task Management
 - Indoor localization
 - PTV



Add Group Communications

- T2 and T6 can operate on VHF/UHF radios and bridged to a GCaaS platform.
- A single device for Wide Area Comms and more.
- Do it all



Airsys.Cloud Control Room – LMR Bridging




A.Bridge

A.Bridge provides the solution to integrating an LMR system with Airsys.Cloud's BBPTT service


With A.Bridge from Airsys.Cloud you are able to see both LMR and GCaaS users on the Airsys Cloud dispatch solution.

[Airsys.Cloud A.Bridge>](#)

Connectivity



250 MB SIM Card



500 MB SIM Card

Larger SIMs are available to accommodate video streaming

- Airsys.Cloud eSIMs
 - 4G/LTE with 3G fallback
 - Non steered EU data roaming
 - Aggregated data
 - IoT priority data
 - Whitelisted to URLs required for Airsys.Cloud services
- BYO SIMs supported
- Wi-Fi connectivity supported

[Airsys.Cloud eSIMs>](#)

Thank you



Mike.Wiltshire@airsys.com